# VERSO<sup>®</sup> PRODUCT DATA SHEET

#### PRODUCT CODE

#### VCP16M

# PRODUCT RANGE

Metal Consumer Unit

## DESCRIPTION

Verso® 16 way 100A DP Mainswitch Consumer unit

#### FEATURES

- 18th Edition Compliant
- 16 usable ways
- Lockable
- 100A DP Mainswitch isolator
- Silver coated busbar
- Installer kit included
- Neutral link included
- Tail Clamp inlcuded
- Knockout entry



# **TECHNICAL INFORMATION**

Height	265mm
Width	392mm
Depth (inclduing lid)	104mm
Weight	4 KG
Mounting	Surface
Number of modules	18
Cable entry	Knockouts (top, side, bottom & rear)
Guarantee	10 Years
Frequency	50Hz/60Hz
Packaging	Box
IP Rating	IP4X
Mounting type	Din Rail
Lockable	Yes (requires VCPK-L)
RAL Colour	RAL 9010 Soft matt finish
Material	Steel
Cover type	Top side steel hinge (gravity led)
Manufacturer	Verso Electrical
Product range	Metal Consumer Units
Mainswitch rating	100
Poles	2
Cable clamp	Cage Clamp
Busbar rating	100A
SPD Type	N/A
Standards	BS EN 61439 1&3, BS EN 600947-3
Country of origin	PRC

All rights reserved @ 2023 Verso Electrical Ltd| Verso® is a registered trademark licenced to PGL exclusivly. Information correct at time as of 01.01.2023


# VERSO<sup>®</sup> PRODUCT DATA SHEET

# PRODUCT CODE

VCP16M

#### DESCRIPTION

Verso® 16 way 100A DP Mainswitch Consumer unit



# VERSO® DECLARATION OF CONFORMITY

### PRODUCT CODE

VCP16M

#### DESCRIPTION

Verso® 16 way 100A DP Mainswitch Consumer unit

INTENDED USE

Power distribution with to final final circuits through MCB's and RCBO's

### MANUFACTURER

Verso® Electrical PGL House (Floor 1), West Point Industrial Estate. Penarth Road. Cardiff. CF11 8JQ. United Kingdom

## RATINGS & CHARACTERISTICS

Voltage Rating Current Rating Freuency 230V 100A 50 Hz

#### DESIGNATED STANDARDS

BS EN 61439 1&3 BS EN 600947-3





I declare that the object of the declaration above is in conformity with the relevant harmonization legislation and national standards.

Signed on behlaf of Verso® Electrical

William Winter (Ba/Bsc) | Managing Director